Get



Welcome to Bradcot – the first stop for those who need more.

Since 1963, Bradcot have strived to offer more than their competitors. After all, an awning purchase isn't just about gaining more space, it's about creating a comfortable living environment whilst you're on holiday.

Our full range of awnings come with the highest of specifications, with details that can only come from our years of experience.

Top benefits include heat reflective roofs, adjustable pegging, Easy Aluminium Frame System and solution dyings, and are all backed by our manufacturing excellence to give you peace of mind all year round.

Of course, customer service is just as important as the products we sell – we listen carefully to what our customers need and work with them to find the most suitable awning solution, which is why our customers keep coming back for more!



CONTENTS

More goes into a Bradcot 4

The Easy Aluminium System 5

The Awnings

Residencia 6

Classic 50 8

Portico Range 10

Aspire Air 12

Aspire 14

Aspire MiDi & MiNi 16

Modus XL 18

Annexes 20

Sizing guide 20

Specifications 22

SPACE RESIDENCIA **CHOICE** FREEDOM



CLASSIC 50

PORTICO





ASPIRE AIR

ASPIRE



ASPIRE MiDi and MiNi



MODUS XL



As well as lasting performance, a Bradcot awning is manufactured to retain its top quality appearance and colour – a claim which is backed by a 10 year fade resist guarantee on our acrylic fabrics.

This is because, rather than use cheap and inferior dying techniques, such as vat dying, we use a state-of-the-art fibre dying technique called solution dying. Our dye is applied to the fibres which make up the yarn, before the yarn is woven into our acrylic awning fabric. This helps achieve the maximum colour depth all the way through – much like a carrot, rather than a radish effect where the colour is just applied to the exterior of the fabric.

MORE GOES INTO A BRADCOT

The standard specification across our awning range is better than ever, offering exciting contemporary features, combined with timeless design classics.



Large panoramic front windows

A classic Bradcot design feature – making the most of natural light and maximising your view out.



Ventilation to all windows and centre front

Breathable ventilator meshes located in roof apex above the front windows (with zipped cover).



Veranda effect to sides and fronts

Flexible design allows you to create your own veranda (with optional poles).



Secure frame-to-canvas

Adjustable frame-to-canvas tension system, plus moveable, detachable, adjustable tension pegging system all round.



Heat reflective roofs

When you need to stay cool on hot days, our reflective system helps keep the heat out.



Adjustable moveable pegging

Pegging ladders can be moved sideways to solve the problem of pegging in uneven and rocky ground.




Durable 10mm zippers

10mm zipper for all detachable panels and doors (interchangeable type in side), with easy slide zip fittings to all doorways. Zips are cambered at the corners for parallel tracking.



Curtain rods

Curtain attachment is by simple telescopic rods which are smart and homely in appearance, and easy to use – no ugly plastic fittings to assemble.



Fixing brackets

Easy fix system bracket pads can be fixed to the secondary piping fitment.

These features are standard on most models, but each individual design also offers its own combination of additional features, to complete a highly advanced awning specification that, put simply, is like no other!

THE EASY ALUMINIUM SYSTEM

Designed and manufactured in Germany and exclusive to Bradcot, this piece of ergonomic brilliance is the ultimate in frame technology and has revolutionised the way we erect awnings.

Bradcot's Easy Aluminium System offers simplicity, style and strength in a lightweight frame that is virtually maintenance-free. It provides rapid awning erection without the usual stress and aggravation that can be experienced with some traditional frames.

Clip the hooks, feet and hinge covers into the pre-assembled frame sections and you're ready to go!

The lightweight telescopic pole section glides smoothly out to the positions required. At this point the frame shows just how clever it is: once the pole section has been equally extended to give the optimum tension, you simply let go of the poles to enable the adjuster to self-lock.

To adjust the poles, simply stretch and let go: a quick do-it-yourself task, with no fiddly buttons or screws. Dismantling is just as easy: simply depress the button to release tension, and the poles will slide back down within each other, ready to clean and pack away for your next outing.

The Easy Aluminium System frame comes as standard with the Portico+, Portico XL, Portico XL+ and the Modus XL, and is available as a cost option on all of the other models featured in this brochure.



Three parts, erected in under 5 minutes!



unfold...

Unpack the poles*...





release...

extend...



...and relax!

*The image shows the three sections of frame found in a Size 1 Easy System Frame. All full awnings have three main sections as shown. For awnings 900cm and up, two extra roof bracers and two extra legs are included (these additional support poles are clamped to the main frame once the awning has been fully erected and pegged).



TOTAL **QUALITY FOR ALL WEATHER** COMFORT

When it comes to awnings, investing in design, material and manufacturing quality is vital to ensure your holiday experience isn't spoilt by the weather.

Our awnings are equipped with a piping fitment threaded into the caravan's channelling to provide a weather-tight seal with heat reflective coated polyester roofs in one piece – so no seams prone to leaks!

Sculptured PVC skirts keep draughts out too. You won't find cheap sub quality fabrics in a Bradcot – whether it's the highest quality Solution Dyed Acrylic or Ten Cate's all-season coated polyester, we always use the highest quality hard-wearing European material, hand sewn into your awning, to ensure lasting performance, come rain or shine!



FRAME OPTIONS:



*Cost option

Whilst other awnings in our range are ideal for people on the move, the heavy-duty Residencia is designed with long-term residence in mind. With its super-strong fabric, extremely sturdy frame and enhanced-security pegging, this semi-permanent model is a top-of-the-range investment.

KEY FEATURES

- All season pitch durability
- Storm straps included
- All season, easy-to-clean sidewall materials
- Heavy-duty 28mm diameter 'Prenox' steel frame with double locking adjusters



RESIDENCIA: MORE DURABILITY

PVA coated spun polyester/PVA walls with moisture absorbent qualities, greatly reduce condensation risk – for all weather comfort that stays true throughout the caravanning season. The Residencia can also be adapted to become a touring awning with our Easy Aluminium System frame, available as a cost option.











FRAME OPTIONS:



*Cost option

The Classic 50 boasts a projection of approximately 2.5 metres and adaptable features such as optional annexe either side (Standard or Tall), two doorways to each side panel, ample sized front doors and detachable front panels to let the sunshine in. Its 5 piece design is easy to erect and dismantle.

KEY FEATURES

- Generously sized interior
- All round adaptability with extra doorways and extension options
- Super strength roof
- Side mesh ventilator windows with zip down covers to both sides



CLASSIC 50

CLASSIC 50: MORE SPACE

The Classic 50 lives up to its name – classic strength, space and adaptability. Its Ten Cate coated polyester roof is our strongest yet, and the solution dyed yarn means that it will retain its colour much, much longer than inferior, mass produced awnings.

The breathable acrylic side walls provide greater comfort and are enhanced by zipped vents to the front and fully ventilated side mesh windows.



Veranda effects to sides and fronts (poles optional)









FRAME OPTIONS:



*Special order

Caravanners on the move rarely have the time to settle down and spread out, but these models are ideal for a night or two – a sizable and easily portable room with a view that's sensible, snug and protecting. Vital space can be added in practically an instant, and packed away with similar speed when it's time to go.

KEY FEATURES

- Choose from three generous sizes: Portico+,
 Portico XL and Portico XL+
- Fast erection and easy storage and transportation
- Easy alloy frame as standard
- Non-abrasive foam pads with poles as standard
- Fitting to caravan side channel possible for XL and XL+



PORTICO

PORTICO: MORE PORTABILITY

The Portico comes in three different sizes – Portico+, Portico XL and Portico XL+. All have panoramic picture windows in the front panel, headed by a covered mesh ventilator, and large windows and doors to either side.





FRAME OPTIONS:



The Aspire Air is our brand new air-inflating awning!
This exciting addition to the Bradcot range has been in development for three years and was launched in 2014.
It offers the ultimate in portability, ease of erection and economy plus, as with all Bradcot models, it features the usual high quality materials and fabrics — no flimsy unsuitable fabrics here!

KEY FEATURES

- Compact, easy to use and economical
- Superior materials, exclusively sourced from Europe
- Lifetime inflation bladder guarantee
- Full 1 year manufacturer's warranty
- Two models available the Aspire Air 260 and Aspire Air 390





ASPIRE AIR: MORE INNOVATION

The Aspire Air's ingenious "frame" features an inflation bladder using the best available TPU (Thermoplastic Polyurethane) of a quality and thickness far in advance of any currently used in the 'air awning' market across the UK and Europe. Its unique design allows filling from one inflation point only (four are fitted to assist with deflation) and, if used in conjunction with our 'E-Pump', can be fully inflated in under two minutes! Together with our UK-manufactured Marine Grade inflation valves, this high-specification product ensures that you can clock up countless long and trouble-free air miles for your awning.







FRAME OPTIONS:



*Cost option

Following an exhaustive search for suitable fabrics that can perform to our demanding maximum standards, whilst keeping costs to a minimum, we are now able to offer the Aspire range. It provides fantastic value for money for the discerning caravanner, who previously could only aspire to owning a Bradcot awning.

KEY FEATURES

- Economical options without compromising quality
- Full five piece design with detachable front and side panels
- MiDi and MiNi models available
- Matching Aspire Annexe available
- Full 1 year manufacturer's warranty





ASPIRE: MORE AFFORDABILITY

At prices you would normally expect from more inferior products, Aspire is affordable! With no compromise on the quality you would expect from Bradcot, the entire Aspire Range is manufactured from Ten Cate 'All season' coated polyester roofs and side walls, a robust steel frame as standard, heavy duty zippers all round and ventilated windows to both ends!

With all your aspirations met, all you need to decide is which Aspire awning, porch or annexe to choose!



Ventilation to all windows centre and front



Find your perfect awning in 4 easy steps at: www.bradcot-awnings.co.uk



FRAME OPTIONS:



*Cost option

The MiDi and MiNi were introduced to the Aspire range, to make the model suitable for caravanners with smaller space requirements.

They still feature the same attractive design qualities and details as the Aspire, but in a more compact design – perfect for creating a welcoming snug for cosy relaxation.

KEY FEATURES

- Economical options without compromising quality
- Full three or four piece design with detachable front and side panels (except MiNi)
- Supplied with non-abrasive foam pads and black poles for discrete connection to the caravan
- Matching Aspire Annexe available

ASPIRE-COMMINICATION OF THE PROPERTY OF THE PR



ASPIRE MIDI & MINI: MORE FOR EVERYONE

Both the Aspire MiDi and MiNi models feature the same high quality features, such as adjustable pegging, durable 10.5mm zips, homely curtains with curtain rods, secure frame to canvas, discrete fixing brackets, Ten Cate coated polyester roof and coated polyester side walls, with a selection of features specific to each – see below. Both the MiDi and MiNi are suitable for caravans from 235cm to 250cm rail height and come with 25/22mm plated steel frame as standard, with the Easy Aluminium System as a cost option.






FRAME OPTIONS:



The Modus XL is ideal for caravan owners who like to go on a variety of outings each year, whether they're taking a short weekend away with just the base unit, or enjoying a longer stay with the extra space of various extensions.

KEY FEATURES


- Supremely adaptable space
- No limits extend as far as you want, left or right
- Front closure option converts porch awning into a full awning
- No guy lines required unique for awnings of this design
- Fitting to caravan side channel possible
- Seasonal pitch suitability



MODUS XL: MORE OPTIONS

Winner of Practical Caravan's Best Awning 2013 Award, this exceptional design is a true innovator with an adaptable modular system allowing many different combinations to meet a wide variety of requirements.

The Modus XL includes a base porch which can be extended left and right by units of various widths – you can add as many extensions as you like! You can mix and match various modular units in one package, or select the base alone, with a view to adding extension units as and when required, for future excursions.



Find your perfect awning in 4 easy steps at: www.bradcot-awnings.co.uk

START WITH YOUR BASE UNIT...

... and then just pick the Modus+ combination that suits your needs best!





Choose from 60cm, 120cm and 240cm left or right facing extensions

You can extend most Bradcot awnings with the Annexe and the Annexe+, providing valuable extra living, sleeping or storage space. They're easy to add and are constructed with the same quality materials and high standards of manufacture as all of Bradcot's awnings.

KEY FEATURES

- Easy to fix simply zip into place
- Extra height and fully ventilated window on Annexe+

ANNEXES

Constructed with solution dyed acrylic

EVEN MORE SPACE!





All of our annexes come with durable steel frames as standard, but our Easy Aluminium System frame can be specified as a cost option – giving you virtually maintenance-free ease.

A detachable side panel, from awning to annexe, can be turned around and re-zipped into the annexe entrance for extra privacy, or a tidy area to hide bikes and other equipment.

Alternatively, the awning side panel can be removed to create an extended walk-through living area. For extra comfort and privacy, you can add a Bradcot Inner Tent.

There is also an Aspire Annexe available, constructed from Ten Cate coated polyester, to complement the Aspire range.

Visit www.bradcot-awnings.co.uk to find out more.

See full specification on page 22



SIZING GUIDE

Bradcot awnings are available in a total of 24 different sizes and are designed to fit nearly all makes of caravan. Bradcot are the only manufacturer to produce caravan awnings in sizes that rise in 15cm incremental increases, starting from 780cm and going all the way up to 1185cm. This guarantees you the most perfect fit of any caravan awning available today.

To determine the correct size for your caravan, measure ground to ground from a point vertically below the awning channel at one end, around the channel of the caravan, to a point vertically below the awning channel at the other end (in cm, from A to B as shown in the illustration). The caravan should be on level ground and normally loaded when this measurement is obtained.

A-B LENGTH (cm)	AWNING SIZE
766–795	780
796–825	810
826-855	840
856–885	870
886–908	900
909–923	915
924–938	930
939–953	945
954–968	960
969–983	975
984–998	990
999–1013	1005
1014–1028	1020
1029–1043	1035
1044–1058	1050
1059–1073	1065
1074–1088	1080
1089–1103	1095
1104–1118	1110
1119–1133	1125
1134–1148	1140
1149–1163	1155
1164–1178	1170
1179–1193	1185



Find your perfect awning in 4 easy steps at: www.bradcot-awnings.co.uk

WE'VE DONE THE HARD WORK FOR YOU!

There's no need to venture outside to measure up your caravan – find the perfect awning for your caravan from the comfort of your armchair.

Our handy online guide will find the awning size you need in four simple steps:

STEP 1: Choose your manufacturer

STEP 2: Select the year of manufacture

STEP 3: Select the range name

STEP 4: Select the model name

RESULT: Your ideal awning size will be displayed. All you have to then do is choose which one suits you best by following the link to all Bradcot awnings of that size!



www.bradcot-awnings.co.uk/
4-easy-steps

MORE SPECIFICATION

	RESIDENCIA	CLASSIC 50	PORTICO +	PORTICO XL	PORTICO XL+	ASPIRE AIR 260	ASPIRE AIR 390	ASPIRE	ASPIRE MIDI	ASPIRE MINI	MODUS XL	ANNEXE	ANNEXE +	ASPIRE ANNEXE
FEATURES														
Zips (mm)	10	10	10	10	10	10.5	10.5	10.5	10.5	10.5	10	10	10	10.5
Front doors	2	2		2	2			2	2					
Side doors	4	4	2	4	4	2	2	4	4	2	2			
Side ventilation with zipped cover	2	2		1	1	2	2	2	2		2		1	
Zipped privacy blind	4 (5^)								3					
Detachable front panels	2 (3^)	2	1	1	1			2	1	1				
Roll up front panel						1	1				✓			
Detachable side panels	2	2		2	2			2	2		2			
Fully retractable side panel			2			2	2			2				
Veranda effect, front	£	£	£	£	£			3	£	£				
Veranda effect, side	£	£		£	£			£	£		£			
Front ventilator with zip	~	✓		~	√									
Ventilator above windows	~	✓	✓	~	√	√	✓			✓ front only	~	✓		✓
Coated polyester splashwalls and polyethylene mudwalls	~	~	√	√	~	~	√	√	~	•	~	~	✓	✓
Draught cloth and wheel arch cover	~	~	√	√	~	~	√	✓	~	~	✓			
Easy fit curtains with rods	✓	✓	✓	✓	~	~	✓	✓	v	✓	✓			
Easy fit bracket pads	~	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			
Moveable/adjustable/ detachable pegging	~	~	•	~	~						✓	~	✓	
Adjustable/detachable pegging						~	✓	✓	~	~				
Steel frame as standard	✓	✓				n/a	n/a	✓	v	~		✓	✓	✓
Glass fibre frame		£				n/a	n/a	3						
Easy Aluminium System frame	£***	3	S	s	S	n/a	n/a	3	£	£	S	£	£	3
Recommended for seasonal use	~										~			

S = Standard £ = Cost option *All measurements are approximate and subject to a tolerance of +/-5% **780-810 awnings have one front panel only and are manufactured to special order only

^{***}As a 'Touring Option' only at full price, not the 'Option Price' – the standard frame MUST be supplied (^) Sizes from 1140–1185 are supplied with 3 front panels

To view our full range of awnings, accessories, annexes, carpets, spares and much more, visit www.bradcot-awnings.co.uk today

	RESIDENCIA	CLASSIC 50	PORTICO +	PORTICO XL	PORTICO XL+	ASPIRE AIR 260	ASPIRE AIR 390	ASPIRE	ASPIRE MIDI	ASPIRE MINI	MODUS XL	ANNEXE	ANNEXE +	ASPIRE ANNEXE
ROOF														
Heat reflective 'Ten-Cate' coated polyester	~	✓	✓	✓	✓						~	~	✓	
'Ten-Cate' coated polyester						✓	✓	✓	✓	✓				✓
WALLS														
'Ten-Cate' coated polyester	✓					✓	✓	✓	~	✓	✓			✓
Solution dyed acrylic		✓	✓	✓	✓							✓	✓	
SIZE														
Size range in cm*	900-1185	780-1185**						780-1125**						
Rail length in cm*			226	286	338	260	390		286	226	240			
Rail height in cm*			235-250	235–250	235-250	235-250	235-250		235-250	235-250	235-250			
Projection in cm*	243	243	185+	240+	240+	260	260	240+	240+	200+	270+	135	135	135
Length (ground floor measurements) in cm*			250	342	398	260	390		342	290	240	210	210	210
WARRANTY														
Manufacturer guarantee (years)	1	3	3	3	3	1	1	1	1	1	1	3	3	1
1 year accidental damage (conditional)	~	✓	✓	✓	✓	✓	✓	✓	~	✓	✓	√	✓	✓
10 year fade resist (walls only)		✓	✓	✓	✓							✓	✓	
OPTIONAL EXTRAS														
Annexe fitting	~	~	✓ front only	✓	✓			✓	✓	✓ front only				
Veranda effect poles	~	✓	✓	✓	✓			✓	~	✓				
Bradcot storm kit	S	✓	✓	✓	✓	S	S	✓	✓	~	~			
Bradcot Lite-Weave awning carpet	~	✓	✓	✓	✓	✓	✓	✓	~	✓	√	~	✓	✓



STORM KIT

Our Storm Kit is strong and reliable, yet unobtrusive. It comprises three belt assemblies and three heavy duty pegs, 40cm in length, and is designed to be used on the inside of your Bradcot awning, so is not viewable to passers by. This also means that there is no danger of tripping over it, there's no irritating sound of a belt vibrating and, most importantly, the kit does not come into contact with the roof, which could cause wear and tear.



Bradcot Awnings, Heyford Court, Hillam Road, Bradford BD2 1QN
Tel: 01274 306 811 Fax: 01274 390 951 Email: info@bradcot-awnings.co.uk

www.bradcot-awnings.co.uk

Bradcot reserve the right to make changes in line with technical progress. Technical details, material colours and dimensions are correct at time of going to press (February 2015).